Product Name: SCA Marker-Fine SDS No.:RI-068 Page 1/5

SCA Marker-Chisel

SAFETY DATA SHEET

Date of Issue: February 15, 2017

SDS No.: RI-068 Version: 004



1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name : SCA Marker-Fine

SCA Marker-Chisel

Product code : SCA-F-B/R/L/G/V/BN/Y/O

SCA-B-B/R/L/G/V/BN/Y/O

Mixture name : SCA-B/R/L/G/V/BN/Y/O

1.2. Use of the mixture : Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

: PILOT CORPORATION OF EUROPE

/ supplier

Address : PAE de la Caille 74350 ALLONZIER-LA-CAILLE (France)

Telephone number

: +33 (0)4 50 08 33 00

Working hours (from 8.30am to 12.30pm and from 01.30pm to 05.30pm

:04.00pm on Friday-French time)

Facsimile number : +33 (0)4 50 46 43 59

E-mail address : pilotfrance@piloteurope.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59

Association /Organization :ORFILA/INRS http://www.centres-antipoison.net

2. HAZARDS IDENTIFICATION

Based on the law and regulation in Japan

Physical /Chemical hazards : Flammable liquid

Environmental hazards : Not applicable

Effect of exposure : Not applicable

Symptom of exposure

Inhalation : Intentional exposure to ink vapors may cause respiratory irritation.

Ingestion : May cause upset stomach.

Skin contact : Ink contact with skin may cause irritation, swelling, or redness.

It is not expected to cause an allergic skin reaction.

Eye contact : Ink contact with eye may be mildly irritating.

SCA Marker-Chisel

3. COMPOSITION / INFORMATION ON INGREDIENTS

Based on the law and regulation in Japan

For ink unless otherwise specified

| Ingredients | CAS Number | EINECS Number | Weight % | Component |
|-----------------|------------|---------------|----------|------------|
| Ethanol | 64-17-5 | 200-578-6 | 60-70 | All Colors |
| Copper compound | Non public | Non public | 6 | Green |
| Diphenylamine | 122-39-4 | 204-539-4 | < 0.25 | Black |
| Triethanolamine | 102-71-6 | 203-049-8 | 1 | Green |

4. FIRST AID MEASURES

Inhalation Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

Skin contact : Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

: Gently rinse the affected eyes with clean water for at least 15 minutes. Eye contact

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

Medical attention

Local contamination

: In case of skin or eye contamination treat as under First Aid Measures.

Systemic poisoning

: There is no specific antidote. Treat symptoms.

5. FIRE-FIGHTING MEASURES

: In case of fire, use water spray, foam, dry, 5.1. Suitable extinguishing media

chemical powder or carbon dioxide.

5.2. Extinguishing media which shall not be used for : None

safety

5.3. Special exposure hazards arising from the

substance or mixture itself, combustion products

: CO₂, CO, NO_x, and SO_x, are produced after

combustion.

: Not required 5.4. Special protective equipment for fire-figters

5.5. Additional information : None

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions : Use proper ventilation. Use eye and skin protection.

6.2. Environmental precautions : Do not dispose of waste to the sewer.

6.3. Methods for cleaning up : Absorb spill with material (cloth or paper), then place in a

chemical waste containers.

6.4. Additional information : None Product Name: SCA Marker-Fine SDS No.:RI-068 Page 3/5

SCA Marker-Chisel

7. HANDLING AND STORAGE

7.1. Handling : Avoid rough handling or dropping.

7.1.1. Protective measures
7.1.2. Measures to prevent aerosol and dust generation
7.1.3. Measures required to protect the environment
Not required in normal use.
Not required in normal use.

7.1.4. Specific requirements or handling rules : None

7.1.5. Precautions against fire and explosion : Not required in normal use.

7.2. Storage Store in a dry, cool, well-ventilated location, away from possible all

source of ignition.

7.3. Specific use(s) : Not use it except the ink for writing instruments.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values : Not available.

8.1.1. Occupational exposure controls : Not available 8.1.2. Biological limit values : Not available

8.1.3. DNEL and PNEC-value(s) as applicable : No data

8.2. Exposure controls

8.2.1. Occupational exposure controls

a) Respiratory protection
b) Hand protection
c) Eye protection
d) Skin protection
Not required in normal use.
Not required in normal use.
Not required in normal use.

8.2.2. Environmental exposure controls

: ACGIH TLV-TWA Ethanol : 1000 ppm (1880 mg/m³)

Triethanolamine : 5 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

For ink unless otherwise specified

9.1. General information

Appearance : Liquid

[Color] Black, Red, Blue, Green, Violet, Brown, Yellow, Orange

Odor : Alcohol odor

9.2. Important health, safety and environmental information

pH : Not applicable

Boiling point / boiling range : 78.3 degrees Celsius (Ethanol)
Flash point : 13 degrees Celsius (Ethanol)

Flammability (solid, gas) : Flammable

Explosive properties : LEL 3.3 vol%, UEL 19.0 vol% (Ethanol)

Oxidizing properties : None

Vapor pressure : 5.88 kPa (at 20 degrees Celsius, Ethanol)

Relative density : 0.85-0.90 (at 20 degrees Celsius)

Solubility : Not applicable

Water solubility : Insoluble

Product Name: SCA Marker-Fine SDS No.:RI-068 Page 4/5

SCA Marker-Chisel

Partition coefficient: n-octanol / water : -0.30 (lowPow, Ethanol)

Viscosity : 2.5-5.5 mPa · s (at 20 degrees Celsius)

Vapor density : 1.59 (Ethanol)

Evaporation rate : No data

9.3. Other information : None

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid : Fire or intense heat may cause violent rupture of

packages.

: Take precautionary measures against static

discharges.

10.2. Materials to avoid : Strong oxidizing agents and reducing agents.

10.3. Hazardous decomposition products : Heating can release vapours which can be ignited.

: Burning produces obnoxious and toxic fumes, carbon

oxides.

11. TOXICOLOGICAL INFORMATION

For ink unless otherwise specified

11.1. Toxicokinetics, metabolism and distribution : No data

11.2. Acute effects (acute toxicity, irritation and corrosivity)

: Acute toxicity Ethanol : LD₅₀ 7060 mg/kg (rat oral)

: LDL₀ 1400 mg/kg (human oral)

Triethanolamine : LD₅₀ 4.92ml/kg(rat)

: Irritation Ethanol : 400 mg open ; Mild (rabbit skin)

: 100 mg/24h ; Moderate (rabbit eye)

11.3. Sensitization : No data

11.4. Repeated dose toxicity : No data

11.5. CMR (carcinogenicity, mutagenicity, and toxicity for reproduction) : No data

12. ECOLOGICAL INFORMATION

| 12.1. Ecotoxicity | : No data |
|-------------------------------------|-----------|
| 12.2. Mobility | : No data |
| 12.3. Persistence and degradability | : No data |
| 12.4. Bioaccumulative potential | : No data |
| 12.5. Results of PBT assessment | : No data |
| 12.6. Other adverse effects | : None |

13. DISPOSAL CONSIDERATIONS

· Follow all regulations in your country.

Product Name: SCA Marker-Fine SDS No.:RI-068 Page 5/5

SCA Marker-Chisel

14. TRANSPORT INFORMATION

For ink unless otherwise specified.

14.1. UN number : 1993 14.2. Class : 3

14.3. Proper shipping name : Not applicable

14.4. Packing group : II

14.5. Marine pollutant : Not applicable

14.6. Other applicable information : None

The above mentioned information is for ink.

Finished marker pen itself is not regarded as hazardous goods.

Ink below 10ml per pen is absorbed in polyester filter reservoir inside of the pen.

15. REGULATORY INFORMATION

· Follow all regulations in your country.

16. OTHER INFORMATION

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS